26 November 2001

**FISCAL YEAR 2004** 

STATEMENT OF WORK

FOR THE

REBUILD OF THE

LIGHT ARMORED VEHICLE (25)

TRAVERSE DRIVE

NSN: 1005-01-151-6431

ID# 8A571B

SOW-04-PMLAV-8A571B-1/1

# Statement Of Work For The REBUILD of the LAV-25 Traverse Drive NSN 1005-01-151-6431

- 1.0 SCOPE. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the repair) to REBUILD the LAV-25 Traverse Drive, NSN 1005-01-151-6431, ID# 8A571B. This document contains requirements to restore the LAV-25 Traverse Drive to Condition Code "A". Condition Code "A" is defined as serviceable/issuable without qualification, new, used, repaired, or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining.
- 1.1 <u>Background</u>. REBUILD is defined as "That maintenance technique which determines the repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS). In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

#### 2.1 Military Standards

MIL-STD-129

DOD Standard Practice for Military Marking

MIL-STD-2073-1D

DOD Standard Practice for Military Packaging

2.2 Other Government Document and Publications

RS 08594A-50/1

Rebuild Standard Light Armored Vehicle LAV-25

Turret

TM 08594A-34/8A

Intermediate Maintenance Light Armored Vehicle

LAV-25 Turret

SL-4 08594A, Volume 1

Repair Parts List Light Armored Vehicle

(LAV-25) Turret

DOD 4000.25-1-M

**MILSTRIP Manual** 

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

### 2.3 Industry Standards

ANSI/ISO/ASQC Q9003-1994

Quality Systems-Model For Quality Assurance In Final Inspection and Test

Industry Standards (For Guidance Only)

ANSI/EIA-649

National Consensus Standard for Configuration Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of publications and other Government documents required by the contractor in connection with specific SOW requirements shall be obtained from: Commander, Marine Corps Logistics Bases, Attn: Publication Unit (Code 5863B), Albany, Georgia 31704-5000, telephone (229) 639-6258 or DSN 567-6258. Copies of engineering drawings/documents, Engineering Change Proposals (ECPs), and Requests for Deviation (RFDs) may be obtained by accessing the Joint Engineering Data Management Information Control Systems (JEDMICS). Authorization to access JEDMICS may be obtained by contacting Commander, Attn: Information Data Warehouse Branch (Code 583-1), 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, telephone (229) 639-6410, or DSN 567-6410. Access to engineering drawings/documents, ECP's, and RFDs, for read purposes only, may be obtained by accessing the Configuration Management Information System (CMIS). Authorization to access CMIS may be obtained by contacting Commander, Attn: Logistics Data Systems (G647-1), 814 Radford Blvd., Suite 20323, Albany, Georgia 31704-0323, telephone (229) 639-6143, or DSN 567-6143.

### 3.0 REQUIREMENTS

- 3.1 General Tasks. The contractor shall repair the LAV-25 Traverse Drive in accordance with TM 08594A-34/8A and RS 08594A-50/1. A complete parts breakdown of the LAV-25 Traverse Drive can be found in SL-4 08594A, Volume 1.
- 3.1.1 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Material (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Material Management Department, Management Control Activity (Code 573-2) 814 Radford Blvd, STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).

- 3.1.2 Contractor Furnished Materiel (CFM). The contractor may requisition material as required in performance of this SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 provides guidance to contractors on the requisitioning process. The contractor's decision to utilize Contractor Furnished Material procured from the DoD supply System shall be based upon cost effectiveness, availability of material and the required completion/delivery date.
- 3.2 Quality Assurance Provisions. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in Final Inspection and Test.

# 3.3 Configuration Control.

- a. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. The procedures or materials contained in manuals, standards, instructions or engineering drawings define the item's characteristics. If deemed necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.
- b. The creation and submission of RFDs shall be accomplished using MEARS CREATE software application, that resides at a secure web site, <a href="https://mears.redstone.army.mil">https://mears.redstone.army.mil</a>. The contractor shall request user-id and password privileges from the contracting activity for the purpose of gaining access to the web site. The contractor shall direct any technical or functional questions concerning usage of MEARS CREATE software to the contracting activity for guidance. The contractor shall notify the contracting activity by electronic mail when completed RFDs are ready for formal submission.

### 3.4 Packaging, Handling, Storage And Transportation.

- a. The Contractor shall be responsible for preservation and packaging of equipment being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Method 41. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.
  - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

CONTRACT DATA REQUIREMENTS LIST (1 Data Hom)							Faces Approved OMB No. 0704-0188				
The public reporting burden completing and reviewing th Headquarters Garvism, Cites love, no passen shall be subj	i for this collection of information is a selection of information. Sund on acturate for information. Operations put to any panelty for falling to non	e estimated to our moneth regarding and Paparts (1970) ply with a colomb	rape 110 hours per rasp this harden estimate or a -0100, 1216 Joffesson of Information II it doe	own, including the time for restoring my other separt of this anticelan of in Davis Vighney, fields. 1984, Autopin a rest display a correctly wait Didd to	VA 22 No.	Alog saledny dela respondence for re Respondence de Respondence de Respondence de	garana, patholog a during the barden, to half be contro that no 180 year form to the s	ed seejetabele Department o Leiste eeste Acres address	the date of Paleons, V any other y Band com	mind, and haddening making of making form	\ \
to the Government leading Contracting Officer for the Contractiff Ro. Intend in Black E.  A. CONTRACT LINE ITEM NO.  B. EXHIBIT				C. CATEGORY:							İ
D. SYSTEMATEM		<u> </u>	TIP TH STREET  E. CONTRACT/PR NO. F. CONTRA							İ	
LAV-25 Traverse Drive				a, suctific		·				(17, Paice anour	
A001						Configuration Management					1
4. AUTHORITY (Date Acquisition December No.)  6. CONTRACT REFER			MENCE	<u> </u>						18. ESTIMATED TOTAL PRICE	
DI-CMAN-80640C		10. PRESULO	SOW 3.3		MCLBA  14. Sectional Trial			1 (583)	)		
NO	NEGAMED	ASREQ		See Blk 16		IA. SEPERATE		a. COPIES			
S. APP CODE A	] <sub>A</sub>	11. AS OF DA	TE	11. BATE OF SUBSESSENT SUBMISSION Sec Blk 16		a. ADDINESSEE		Draft Final Repre			
18. REMARKS Blk 4 - MEAE	RS CREATE user	id and pa	ssword will	be assigned by the	<u> </u>	MCLB/	(583-1)	0	1	0	İ
18. REMARKS BIK 4 - MEARS CREATE user-id and password will be assigned by the Requiring Office.								<del> </del>			1
Blk 4: MEARS RFD text files shall be submitted electronically using MICROSOFT (.doc) or ADOBE (.pdf) formatted software products.											<b> </b>   <b> </b>
Blks 12 & 13 - RFDs notification shall be accomplished via e-mail to the following address: mbmatcomconfigungmnt@matcom.usmc.mil											
Blk 14: Accompanying figures to the text files shall be in a MICROSOFT format or CCITT Group 4 graphic file. Group 4 files shall have a minimum density of 600 dpi.											
Blk 14: Questions concerning MEARS CREATE V8.3 functionality shall be directed to the Requiring Office. POC is Ann Jowers who may be contacted at DSN 567-6424/25 or email: jowersta@matcom.usmc.mil											1
directed to the DSN 567-642	e Requiring Office 4/25 or email: jov	e. POC is versta@m	Ann Jowers atcom.usmc	who may be contac mil	eted at			-			
Distribution Statement A: Approved for Public Release; Distribution is Unlimited.											
Unlimited.				, , , , , , , , , , , , , , , , , , , ,				<del>                                     </del>			1
								1			i I
								-	<b></b>		1
								[			
								<del>                                     </del>	<u> </u>		,
							T.				
							<del></del>	<del> </del>	<b>-</b>		
								1			
						ļ		<b> </b>			
								1			
								-			İ
						ļ		<u> </u>			
	•							1	<del> </del>		
				•		40 5					
G. PREPARED BY			N. DATE	I. APPROVED	BY	16, 70TAL	-	J. DAT		0	
Nime	8. Brad	1	11/11/0	1 Bos	- 14	25	<b>-</b> 	11/1	3/0	1	
DD FURM 1423-1, AUG 96 (EG) Pages of Pages										•	